

From: [Granger, Michelle](#)
To: [Hauber, Erin M CIV USARMY CENWK \(US\)](#)
Subject: RE: Pohatcong OU3 - POHMW49 installation and split sampling
Date: Monday, June 25, 2018 9:06:36 AM

Hi, Erin-

OK. I sent PRP an email. I'll let you know what they say. Also, I'll be in all day today and tomorrow morning and out the rest of the week. If anything comes up, please contact Kim.

Heads up about a call with PRP on July 2nd. I think they will be sending out an invite for a 1 or 2 pm call. Does that work for you? I have to check Kim's availability, so things may change, but wanted to let you know.

Best,
Michelle-

From: Hauber, Erin M CIV USARMY CENWK (US) [Erin.M.Hauber@usace.army.mil]
Sent: Thursday, June 21, 2018 6:06 PM
To: Granger, Michelle
Cc: Watts, Joshua A CIV USARMY CENWK (US); Stonestreet, Wendy E CIV USARMY CENWK (US); patrick nejand; Brink, Bradley J CIV USARMY CENWK (US)
Subject: Pohatcong OU3 - POHMW49 installation and split sampling

Hi Michelle,

Patrick (and later Brad) will be onsite to oversee installation of POHMW49 which is scheduled to begin mid next week.

Similar to OU3 soil samples, can you ask if the PRP can supply sample bottles (VOAs) and ice for our split groundwater samples collected during groundwater profiling?

Our objective is to collect as many splits as practical while balancing our oversight resources. We're estimating they'll collect ~15 samples (every 20 ft from groundwater table to 400-ft).

Please let me know if they have any issues providing these items.

Thanks,

Erin

Erin Hauber, P.E.
Civil Engineer
Kansas City District
US Army Corps of Engineers
816.389.2280